

# **1.4 Emergency telephone** Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit)

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Skin irritation (Category 2), H315

Eye irritation (Category 2), H319 Skin sensitization (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 1.00686

Page 1 of 10



# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

	$\mathbf{V}$
Signal Word	Warning
Hazard statement(s) H315 H317 H319	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Precautionary statement(s) P261 P264 P272	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the
P280 P302 + P352 P305 + P351 + P338	workplace. Wear protective gloves/ eye protection/ face protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none
<b>Reduced Labeling (&lt;= 1</b> ) Pictogram	25 ml)

	◆
Signal Word	Warning
Hazard statement(s) H317	May cause an allergic skin reaction.
Precautionary statement(s) P261 P272 P302 + P352	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Contaminated work clothing should not be allowed out of the workplace. IF ON SKIN: Wash with plenty of water.
Supplemental Hazard Statements	none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula	: 4-(H2N)C6H4SO3H
Molecular weight	: 173,19 g/mol
CAS-No.	: 121-57-3
EC-No.	: 204-482-5

Millipore- 1.00686

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 2 of 10



Index-No.

Component		Classification	Concentration
Sulfanilic acid			
CAS-No. EC-No. Index-No.	121-57-3 204-482-5 612-014-00-X	Skin Irrit. 2; Eye Irrit. 2; Skin Sens. 1; H315, H319, H317	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

# General advice

Show this material safety data sheet to the doctor in attendance.

# If inhaled

After inhalation: fresh air.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

# If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# SECTION 5: Firefighting measures

# 5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Combustible. Fire may cause evolution of: Sulfur oxides, nitrogen oxides Development of hazardous combustion gases or vapours possible in the event of fire.

Millipore- 1.00686

Page 3 of 10



# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up
  - Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling** For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

# Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

### **Personal protective equipment**

### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Millipore- 1.00686

Page 4 of 10



# Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact

Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

### **Respiratory protection**

Recommended Filter type: Filter B-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties

a)	Physical state	solid		
b)	Color	colorless		
c)	Odor	odorless		
d)	Melting point/freezing point	No data available		
e)	Initial boiling point and boiling range	ca.300 °C - OECD Test Guideline 103 - Decomposes b boiling point.	elow the	
f)	Flammability (solid, gas)	The product is not flammable Flammability (solids)		
g)	Upper/lower flammability or explosive limits	No data available		
h)	Flash point	No data available		
ore- 1.0	0686		Page 5 of 10	)

Millipore- 1.00686



i)	) Autoignition temperature	331 °C
j)	) Decomposition temperature	ca. 300 °C
k	.) pH	No data available
I)	) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
n	n) Water solubility	12,51 g/l at 20 °C - OECD Test Guideline 105- soluble
n	<ul> <li>Partition coefficient: n-octanol/water</li> </ul>	log Pow: -2,298 at 25 °C - Bioaccumulation is not expected.
0	) Vapor pressure	No data available
р	) Density	1,4862 g/cm3 at 20 °C - OECD Test Guideline 109
	Relative density	No data available
q	) Relative vapor density	No data available
r)	) Particle characteristics	No data available
S	) Explosive properties	No data available

t) Oxidizing properties none

# 9.2 Other safety information

Bulk density	ca.620 kg/m3
Surface tension	72,3 mN/m at 20 °C

Dissociation constant 3,35 at 20 °C

# SECTION 10: Stability and reactivity

#### **10.1 Reactivity**

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# **10.3** Possibility of hazardous reactions

Violent reactions possible with: Acids and bases strong oxidising agents

#### **10.4** Conditions to avoid

no information available

#### **10.5 Incompatible materials** No data available

Millipore- 1.00686

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 6 of 10



# **10.6 Hazardous decomposition products**

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - female - > 2.000 mg/kg (OECD Test Guideline 423) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2.000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Remarks: Causes skin irritation.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: irritating - 21 d (OECD Test Guideline 405)

#### **Respiratory or skin sensitization** No data available

#### \_\_\_\_\_

**Germ cell mutagenicity** Test Type: In vitro mammalian cell gene mutation test Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Result: negative Remarks: (National Toxicology Program)

### Carcinogenicity

No data available

# **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

# **11.2 Additional Information**

irritant effects

Millipore- 1.00686

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 10



To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish	static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 23 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 32 mg/l - 72 h (OECD Test Guideline 201)
	NOEC - Desmodesmus subspicatus (green algae) - 4,6 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC0 - Pseudomonas fluorescens - >= 10.000 mg/l - 24 h Remarks: (IUCLID)

#### 12.2 Persistence and degradability

Biodegradability	aerobic - Exposure time 72 h	
	Result: 100 % - Readily biodegradable.	

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **12.6 Endocrine disrupting properties** No data available

**12.7 Other adverse effects** No data available

#### **SECTION 13: Disposal considerations**

# **13.1** Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

# 14.1 UN number

ADR/RID: -

IMDG: -

IATA: -

Millipore- 1.00686

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 10

<b>14.2 UN proper shipping name</b> ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods			
14.3 Transport hazard class(e ADR/RID: -	s) IMDG: -	IATA: -	
14.4 Packaging group ADR/RID: -	IMDG: -	IATA: -	
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no	
<ul> <li>14.6 Special precautions for u</li> <li>No data available</li> <li>Further information</li> <li>Not classified as dangerous</li> </ul>	<b>ser</b> in the meaning of transport regu	llations.	

# SECTION 15: Regulatory information

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **Other regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

# **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes skin irritation.

Millipore- 1.00686

Page 9 of 10



# Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

# Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.00686

Page 10 of 10

