# Supelco<sub>®</sub>

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.2 Revision Date 05.06.2021 Print Date 25.09.2021

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1 **Product identifiers** Product name Perchloric acid 70-72% for analysis EMSURE® ACS, ISO, Reag. Ph Eur Product Number : 1.00519 Catalogue No. : 100519 Brand : Millipore UFI : 5210-46K9-W998-TSDX REACH No. : This product is a mixture. REACH Registration Number see section 3. 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses Reagent for analysis, Chemical production Uses advised against : This product is not intended for consumer use. Details of the supplier of the safety data sheet 1.3 Company Merck Life Science UK Limited : New Road The Old Brickyard GILLINGHAM Dorset SP8 4XT UNITED KINGDOM Telephone : +44 (0)1747 833-000 Fax +44 (0)1747 833-313

#### 1.4 **Emergency telephone**

Emergency Phone # : +44 (0)870 8200418 (CHEMTREC)

:

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Oxidizing liquids (Category 1), H271 Corrosive to Metals (Category 1), H290 Acute toxicity, Oral (Category 4), H302 Skin corrosion (Sub-category 1A), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - repeated exposure (Category 2), Thyroid, H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 12

#### 2.2 Label elements

Labelling according Regu Pictogram	ulation (EC) No 1272/2008	
Signal word	Danger	
Hazard statement(s) H271 H290 H302 H314 H373	May cause fire or explosion; strong oxidizer. May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. May cause damage to organs (Thyroid) through prolonged or repeated exposure.	
Precautionary statement(s) P210	Keep away from heat, hot surfaces, sparks, open flames and	
P280	other ignition sources. No smoking. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.	
P301 + P312	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P314	Get medical advice/ attention if you feel unwell.	
Supplemental Hazard Statements	none	
<b>Reduced Labeling (&lt;= 1</b> Pictogram	25 ml)	
Signal word	Danger	
Hazard statement(s) H271 H314	May cause fire or explosion; strong oxidizer. Causes severe skin burns and eye damage.	
Precautionary statement(s) P210	Keep away from heat, hot surfaces, sparks, open flames and	
P280	other ignition sources. No smoking. Wear protective gloves/ protective clothing/ eye protection/ face	
P303 + P361 + P353	protection/ hearing protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Supplemental Hazard Statements	none	

Millipore- 1.00519

Page 2 of 12



#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component		Classification	Concentration
Perchloric acid			
CAS-No. EC-No. Index-No. Registration number	7601-90-3 231-512-4 017-006-00-4 01-2120066865-44- XXXX	Ox. Liq. 1; Met. Corr. 1; Acute Tox. 4; Skin Corr. 1A; Eye Dam. 1; STOT RE 2; H271, H290, H302, H314, H318, H373 Concentration limits: >= 50 %: Skin Corr. 1A, H314; 10 - < 50 %: Skin Corr. 1B, H314; 1 - < 10 %: Skin Irrit. 2, H315; 1 - < 10 %: Eye Irrit. 2, H319; > 50 %: Ox. Liq. 1, H271; <= 50 %: Ox. Liq. 2, H272; 1 - 50 %: Ox. Liq. 2, H272;	>= 70 - < 90 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Millipore- 1.00519





**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Not combustible. Fire may cause evolution of: Hydrogen chloride gas Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

**6.2 Environmental precautions** Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

#### **6.4 Reference to other sections** For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene measures**

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 12

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal or light-weight-metal containers.

Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat.Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

Recommended storage temperature see product label.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Ingredients with workplace control parameters** Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: butyl-rubber Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Latex gloves Minimum layer thickness: 0.6 mm Break through time: 240 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Millipore- 1.00519

Page 5 of 12

### **Body Protection**

protective clothing

#### **Respiratory protection**

Recommended Filter type: Filter type B

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

	-	
a)	Appearance	Form: liquid Color: colorless
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	at 20 °C strongly acid
e)	Melting point/freezing point	Melting point: -18 °C
f)	Initial boiling point and boiling range	198.7 °C at 1,013 hPa
g)	Flash point	Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
I)	Vapor density	No data available
m)	Relative density	No data available
n)	Water solubility	at 20 °C soluble
o)	Partition coefficient: n-octanol/water	No data available
p)	Autoignition temperature	Not applicable
q)	Decomposition temperature	No data available
r)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the

Millipore- 1.00519



#### 9.2 Other safety information

No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

Explosive

#### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3** Possibility of hazardous reactions

Risk of explosion with: semimetals Antimony oxide Metals Hydrogen Impurities organic combustible substances acetic acid Halogenated hydrocarbon Hydrogen halides Fluorine Ether sulfoxides metallic oxides Alcohols acetonitrile Lead oxides Hydrogen chloride gas chromium(VI) oxide dimethyl sulfoxide Iron ferric oxide Acetic anhydride ethanol glycerol Methanol dichloromethane phenol phosphine Oxides of phosphorus pyridine Reducing agents sulfuric acid Sulfur trioxide Halogenated compounds iron/iron-containing compounds Mild steel carbon Nitric acid with **Organic Substances** Acetylene with

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 12

Formaldehyde acetic acid with Acetic anhydride sulfuric acid with Organic Substances Exothermic reaction with: Ketones phosphides Bases Risk of ignition or formation of inflammable gases or vapours with: hydrogen iodide anilines with Formaldehyde

#### **10.4** Conditions to avoid

no information available

- **10.5 Incompatible materials** Rubber, Light metals, Metals, fatsMetals
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Mixture

#### **Acute toxicity**

Acute toxicity estimate Oral - 1,572 mg/kg (Calculation method) Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Dermal: No data available

Skin corrosion/irritation

Mixture causes severe burns.

Serious eye damage/eye irritation Mixture causes serious eye damage. Risk of blindness!

### Respiratory or skin sensitization

No data available

Germ cell mutagenicity No data available

#### **Carcinogenicity** No data available

Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 8 of 12

No data available

#### Specific target organ toxicity - repeated exposure

Mixture may cause damage to organs through prolonged or repeated exposure. - Thyroid

#### Aspiration hazard

No data available

#### **11.2 Additional Information**

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### Components

#### **Perchloric acid**

#### Acute toxicity

LD50 Oral - Rat - 1,100 mg/kg Remarks: Behavioral:Excitement. Lungs, Thorax, or Respiration:Dyspnea. Nutritional and Gross Metabolic:Changes in:Body temperature decrease. (RTECS) Inhalation: No data available Dermal: No data available

#### Skin corrosion/irritation

Extremely corrosive and destructive to tissue.

#### Serious eye damage/eye irritation Corrosive

**Respiratory or skin sensitization** No data available

#### Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Result: negative

#### Carcinogenicity

No data available

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure No data available

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Thyroid

#### Aspiration hazard

No data available

## SECTION 12: Ecological information

#### 12.1 Toxicity

**Mixture** No data available

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 12

#### **12.2 Persistence and degradability** No data available

**12.3 Bioaccumulative potential** No data available

#### **12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **12.6 Other adverse effects**

Forms toxic and corrosive mixtures with water even if diluted. Harmful effect due to pH shift.

Discharge into the environment must be avoided.

#### Components

Perchloric acid	
Toxicity to fish	flow-through test EC50 - Lepomis macrochirus (Bluegill sunfish) - 1,470 mg/l - 96 h (US-EPA) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Sodium perchlorate monohydrate
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 435.7 mg/l - 72 h (OECD Test Guideline 201) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Sodium perchlorate
Toxicity to bacteria	static test EC50 - activated sludge - > 1,000 mg/l - 3 h (ISO 8192) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Sodium perchlorate

#### SECTION 13: Disposal considerations

#### **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. Notice Directive on waste 2008/98/EC.

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 10 of 12

SECTION 14: Transport information			
	<b>l number</b> R/RID: 1873	IMDG: 1873	IATA: 1873
AD IMI IAT	I proper shipping name   R/RID: PERCHLORIC ACID   DG: PERCHLORIC ACID   TA: Perchloric acid   ssenger Aircraft: Not permitter	ted for transport	
	ansport hazard class(es) R/RID: 5.1 (8)	IMDG: 5.1 (8)	IATA: 5.1 (8)
	<b>ckaging group</b> R/RID: I	IMDG: I	IATA: I
	<b>vironmental hazards</b> R/RID: no	IMDG Marine pollutant: no	IATA: no
-	ecial precautions for user data available	r	

#### SECTION 15: Regulatory information

## **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **National legislation**

Seveso III: Directive 2012/18/EU of the European : OXIDISING LIQUIDS AND SOLIDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H271	May cause fire or explosion; strong oxidizer.
H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 11 of 12

# H373 May cause damage to organs (/\$/\*\_2ORGAN\_REPEAT/\$/) through prolonged or repeated exposure.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.00519

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 12