

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.2  
Revision Date 01.07.2021  
Print Date 11.10.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Sodium hydroxide solution for 1000 ml,  
c(NaOH) = 0.1 mol/l (0.1 N) Titrosol®  
Titrisol®

Product Number : 1.09959  
Catalogue No. : 109959  
Brand : Millipore  
REACH No. : This product is a mixture. REACH Registration Number see section 3.

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science UK Limited  
New Road  
The Old Brickyard  
GILLINGHAM  
Dorset  
SP8 4XT  
UNITED KINGDOM

Telephone : +44 (0)1747 833-000  
Fax : +44 (0)1747 833-313

### 1.4 Emergency telephone

Emergency Phone # : +44 (0)870 8200418 (CHEMTREC)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture


#### Classification according to Regulation (EC) No 1272/2008

Corrosive to Metals (Category 1), H290  
Skin corrosion (Sub-category 1A), H314  
Serious eye damage (Category 1), H318


For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram	
Signal word	Danger
Hazard statement(s) H290 H314	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statement(s) P234 P280	Keep only in original packaging. Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### Reduced Labeling (<= 125 ml)

Pictogram	
Signal word	Danger
Hazard statement(s) H314	Causes severe skin burns and eye damage.
Precautionary statement(s) P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P301 + P330 + P331 P303 + P361 + P353	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Component	Classification	Concentration
-----------	----------------	---------------

<b>sodium hydroxide</b>			
CAS-No.	1310-73-2	Met. Corr. 1; Skin Corr. 1A; Eye Dam. 1; H290, H314, H318	>= 5 - < 10 %
EC-No.	215-185-5		
Index-No.	011-002-00-6		
Registration number	01-2119457892-27-XXXX	Concentration limits:	
		>= 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0.5 - < 2 %: Skin Irrit. 2, H315; 0.5 - < 2 %: Eye Irrit. 2, H319; >= 0.4 %: Met. Corr. 1, H290;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Sodium oxides  
Not combustible.

Ambient fire may liberate hazardous vapours.

### **5.3 Advice for firefighters**

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### **5.4 Further information**

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

### **6.2 Environmental precautions**

Do not let product enter drains.

### **6.3 Methods and materials for containment and cleaning up**

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH<sup>-</sup>, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

### **6.4 Reference to other sections**

For disposal see section 13.

---

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

#### **Advice on safe handling**

Observe label precautions.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

#### **Storage conditions**

No aluminium, tin, or zinc containers.

Tightly closed. No metal containers.

Recommended storage temperature see product label.

### **7.3 Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

Component	CAS-No.	Value	Control parameters	Basis
sodium hydroxide	1310-73-2	STEL	2 mg/m <sup>3</sup>	UK. EH40 WEL - Workplace Exposure Limits

## 8.2 Exposure controls

### Personal protective equipment

#### Eye/face protection

Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

#### Body Protection

protective clothing

#### Respiratory protection

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### Control of environmental exposure

Do not let product enter drains.

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |                   |                                  |
|-------------------|----------------------------------|
| a) Appearance     | Form: liquid<br>Color: colorless |
| b) Odor           | odorless                         |
| c) Odor Threshold | Not applicable                   |

Millipore- 1.09959

Page 5 of 15

The life science business of Merck operates as MilliporeSigma in the US and Canada



d) pH	ca.13.8 at 20 °C
e) Melting point/freezing point	No data available
f) Initial boiling point and boiling range	No data available
g) Flash point	Not applicable
h) Evaporation rate	No data available
i) Flammability (solid, gas)	No data available
j) Upper/lower flammability or explosive limits	No data available
k) Vapor pressure	No data available
l) Vapor density	No data available
m) Relative density	No data available
n) Water solubility	at 20 °C soluble
o) Partition coefficient: n-octanol/water	No data available
p) Autoignition temperature	No data available
q) Decomposition temperature	No data available
r) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

## 9.2 Other safety information

No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

No data available

### 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with:

Metals

Light metals

Possible formation of:

Hydrogen

Violent reactions possible with:

ammonium compounds

Cyanides

organic nitro compounds

organic combustible substances  
phenols  
powdered alkaline earth metals  
Acids  
Nitriles  
Magnesium

#### **10.4 Conditions to avoid**

no information available

#### **10.5 Incompatible materials**

Aluminum, various plastics, Brass, Metals, metal alloys, Zinc, Tin, Light metals, glass, quartzes/silicate ceramics, animal/vegetable tissues

#### **10.6 Hazardous decomposition products**

In the event of fire: see section 5

---

### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

##### **Mixture**

##### **Acute toxicity**

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages: , damage of respiratory tract

Dermal: No data available

##### **Skin corrosion/irritation**

Necrosis Mixture causes severe burns.

##### **Serious eye damage/eye irritation**

Mixture causes serious eye damage. Risk of blindness! Necrosis

##### **Respiratory or skin sensitization**

No data available

##### **Germ cell mutagenicity**

No data available

##### **Carcinogenicity**

No data available

##### **Reproductive toxicity**

No data available

##### **Specific target organ toxicity - single exposure**

No data available

##### **Specific target organ toxicity - repeated exposure**

No data available

##### **Aspiration hazard**

No data available

#### **11.2 Additional Information**

Irritation and corrosion, Risk of blindness!, Cough, Shortness of breath

Irritation and corrosion

Cough

Shortness of breath  
collapse  
death  
Risk of blindness!

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## Components

### sodium hydroxide

#### Acute toxicity

Oral: No data available

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Dermal: No data available

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns.

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

#### Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage.

(OECD Test Guideline 405)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Causes serious eye damage.

#### Respiratory or skin sensitization

Patch test: - In vitro study

Result: negative

Remarks: (ECHA)

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

No data available

#### Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

Acute oral toxicity - If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.

Acute inhalation toxicity - burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

#### Specific target organ toxicity - repeated exposure

No data available

#### Aspiration hazard

No data available



---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Mixture

No data available

### 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Harmful effect due to pH shift. Death of fish possible. Does not cause biological oxygen deficit. Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

No data available

#### Components

##### sodium hydroxide

Toxicity to fish

LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h  
Remarks: (ECOTOX Database)

Toxicity to daphnia  
and other aquatic  
invertebrates

EC50 - Ceriodaphnia (water flea) - 40.4 mg/l - 48 h  
Remarks: (ECHA)

Toxicity to bacteria

EC50 - Photobacterium phosphoreum - 22 mg/l - 15 min  
Remarks: (External MSDS)

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions. Notice Directive on waste 2008/98/EC.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1824

IMDG: 1824

IATA: 1824





## Annex: Exposure scenario

### Identified uses:

#### Use: Industrial use

<b>SU 3:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites
<b>SU 3, SU9, SU 10:</b> Industrial uses: Uses of substances as such or in preparations at industrial sites, Manufacture of fine chemicals, Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)
<b>PC19:</b> Intermediate <b>PC21:</b> Laboratory chemicals
<b>PROC1:</b> Use in closed process, no likelihood of exposure <b>PROC2:</b> Use in closed, continuous process with occasional controlled exposure <b>PROC3:</b> Use in closed batch process (synthesis or formulation) <b>PROC4:</b> Use in batch and other process (synthesis) where opportunity for exposure arises <b>PROC5:</b> Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact) <b>PROC8a:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities <b>PROC8b:</b> Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities <b>PROC9:</b> Transfer of substance or preparation into small containers (dedicated filling line, including weighing) <b>PROC10:</b> Roller application or brushing <b>PROC14:</b> Production of preparations or articles by tableting, compression, extrusion, pelletization <b>PROC15:</b> Use as laboratory reagent
<b>ERC1, ERC2, ERC4, ERC6a, ERC6b:</b> Manufacture of substances, Formulation of preparations, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids

#### Use: Professional use

<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
<b>SU 22:</b> Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
<b>PC21:</b> Laboratory chemicals
<b>PROC15:</b> Use as laboratory reagent
<b>ERC2, ERC6a, ERC6b:</b> Formulation of preparations, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids

---

### 1. Short title of Exposure Scenario: Industrial use

---

Main User Groups	: <b>SU 3</b>
Sectors of end-use	: <b>SU 3, SU9, SU 10</b>
Chemical product category	: <b>PC19, PC21</b>

Process categories : **PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15**  
Environmental Release Categories : **ERC1, ERC2, ERC4, ERC6a, ERC6b:**

## 2. Exposure scenario

### 2.1 Contributing scenario controlling environmental exposure for: **ERC1, ERC2, ERC4, ERC6a, ERC6b**

#### **Technical conditions and measures / Organizational measures**

Water : Solutions with high pH-value must be neutralized before discharge.

Do not allow uncontrolled discharge of product into the environment.

### 2.2 Contributing scenario controlling worker exposure for: **PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC14, PROC15**

#### **Product characteristics**

Concentration of the Substance in Mixture/Article : Covers the percentage of the substance in the product up to 100 % (unless stated differently).

Physical Form (at time of use) : Aqueous solution

#### **Frequency and duration of use**

Frequency of use : 600 minutes/day

Frequency of use : 200 days/year

#### **Other operational conditions affecting workers exposure**

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

#### **Technical conditions and measures**

Good work practice required., Ensure adequate ventilation, especially in confined areas.

#### **Conditions and measures related to personal protection, hygiene and health evaluation**

Wear suitable gloves (tested to EN374), coverall and eye protection., Breathing apparatus only if aerosol or dust is formed.

## 3. Exposure estimation and reference to its source

### **Environment**

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

\*Risk characterisation ratio

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

---

## 1. Short title of Exposure Scenario: Professional use

---

Main User Groups	: SU 22
Sectors of end-use	: SU 22
Chemical product category	: PC21
Process categories	: PROC15
Environmental Release Categories	: ERC2, ERC6a, ERC6b:

## 2. Exposure scenario

### 2.1 Contributing scenario controlling environmental exposure for: ERC2, ERC6a, ERC6b

#### Technical conditions and measures / Organizational measures

Water : Solutions with high pH-value must be neutralized before discharge.

Do not allow uncontrolled discharge of product into the environment.

### 2.2 Contributing scenario controlling worker exposure for: PROC15

#### Product characteristics

Concentration of the Substance in Mixture/Article : Covers the percentage of the substance in the product up to 100 % (unless stated differently).

Physical Form (at time of use) : Aqueous solution

#### Frequency and duration of use

Frequency of use : 600 minutes/day

Frequency of use : 200 days/year

#### Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

#### Technical conditions and measures

Good work practice required., Ensure adequate ventilation, especially in confined areas.

#### Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves (tested to EN374), coverall and eye protection., Breathing apparatus only if aerosol or dust is formed.

## 3. Exposure estimation and reference to its source

### Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

\*Risk characterisation ratio

## 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for

downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).