

## SAFETY DATA SHEET

Version 8.4 Revision Date 17.06.2021 Print Date 03.03.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Nitric acid c(HNO3) = 10 mol/l (10 N)

Product Number : 1.00630 Catalogue No. : 100630 Brand : Millipore

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.3 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH CANADA LTD.

2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8

**CANADA** 

Telephone : +1 905 829-9500 Fax : +1 905 829-9292

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA)

+1-703-527-3887 CHEMTREC

(International)

24 Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Corrosive to Metals (Category 1), H290 Acute toxicity, Inhalation (Category 3), H331 Skin corrosion (Category 1A), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Millipore - 1.00630

Millipore SigMa

Hazard statement(s) H290 H314 H331	May be corrosive to metals. Causes severe skin burns and eye damage. Toxic if inhaled.
Precautionary statement(s)	
P234	Keep only in original packaging.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

## **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Component		Classification	Concentration *
nitric acid			_
CAS-No. EC-No. Index-No. Registration number	7697-37-2 231-714-2 007-004-00-1 01-2119487297-23- XXXX	Ox. Liq. 2; Met. Corr. 1; Acute Tox. 3; Skin Corr. 1A; Eye Dam. 1; H272, H290, H331, H314, H318 Concentration limits: >= 1 %: Met. Corr. 1, H290; 0 - < 70.0001 %: Acute Tox. 3, H331; >= 70.0001 %: Acute Tox. 1, H330; >= 20 %: Skin Corr. 1A, H314; 5 - < 20 %: Skin Corr. 1B, H314; 65 - < 99 %: Ox. Liq. 3, H272; >= 99 %: Ox. Liq. 2, H272; >= 3 %: Eye Dam. 1, H318; 1 - < 3 %:	>= 30 - < 60 %

Millipore - 1.00630 Page 2 of 11



	Eye Irrit. 2, H319; 1 - < 5 %: Skin Irrit. 2, H315;	
* Weight %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Do not attempt to neutralise. Call a physician immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrous gases, nitrogen oxides

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### **5.4** Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.



#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapors, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H<sup>+</sup>, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

## Advice on safe handling

Observe label precautions.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal or light-weight-metal containers.

Tightly closed.

Recommended storage temperature see product label.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Components with workplace control parameters

Components trial trotterings control parameters				
Components	CAS-No.	Value	Control	Basis
			parameters	
nitric acid	7697-37-2	TWA	2 ppm 5.2 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

Millipore - 1.00630 Page 4 of 11



STEL	4 ppm 10 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
TWA	2 ppm	Canada. British Columbia OEL
STEL	4 ppm	Canada. British Columbia OEL
STEV	4 ppm 10 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
TWAEV	2 ppm 5.2 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
TWA	2 ppm	USA. ACGIH Threshold Limit Values (TLV)
STEL	4 ppm	USA. ACGIH Threshold Limit Values (TLV)

## 8.2 Exposure controls

## **Appropriate engineering controls**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### Personal protective equipment

#### **Eye/face protection**

Tightly fitting safety goggles

#### Skin protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### **Respiratory protection**

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid Color: colorless

Millipore - 1.00630

Millipore

b) Odor stinging

c) Odor Threshold No data available d) pH < 1 at 20 °C (68 °F)

e) Melting point: ca.-28 °C (ca.-18 °F) point/freezing point

f) Initial boiling point and boiling range

ca.120 °C ca.248 °F at 1,013 hPa

g) Flash point No data availableh) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive limits

k) Vapor pressure ca.9.4 hPa at 20 °C (68 °F)

I) Vapor density No data availablem) Relative density No data available

n) Water solubility soluble

o) Partition coefficient: No data available

n-octanol/water

p) Autoignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity No data availables) Explosive properties No data availablet) Oxidizing properties Oxidizing potential

#### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

strong oxidising agent

#### 10.2 Chemical stability

No data available

#### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Risk of ignition or formation of inflammable gases or vapours with: organic combustible substances oxidisable substances organic solvent Alcohols



Ketones

Aldehydes

anhydrides

**Amines** 

anilines

organic nitro compounds

hydrazine and derivatives

acetylidene

Metals

metal alloys

metallic oxides

Alkali metals

Alkaline earth metals

Ammonia

alkalines

Acids

hydrides

Halogens

halogen compounds

nonmetallic oxides

nonmetallic halides

nonmetallic hydrogen compounds

nonmetals

phosphides

nitrides

lithium silicide

hydrogen peroxide

Nitriles

arsenic

arsenic hydride

antimony hydride

antimony

Boron

Fluorine

Hydrogen halides

## 10.4 Conditions to avoid

Heating.

#### 10.5 Incompatible materials

Cellulose, MetalsContact with metals may lead to the formation of nitrous gases and hydrogen.

#### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Mixture**

#### **Acute toxicity**

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach.



Acute toxicity estimate Inhalation - 4 h - 5.48 mg/l (Calculation method)

Dermal: No data available

No data available

#### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

Mixture causes serious eye damage. Risk of blindness!

## Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

No data available

## Carcinogenicity

No data available

## Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Irritation and corrosion, Cough, Shortness of breath, Bloody vomiting, death, Risk of blindness!

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

After uptake:

Bloody vomiting strong pain (risk of perforation!) tissue damage death

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

#### **Components**

## nitric acid

#### **Acute toxicity**

Oral: No data available

MILLIPORE

Acute toxicity estimate Inhalation - 4 h - 2.5 mg/l

(Expert judgment)

Dermal: No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

Remarks: (IUCLID)

Causes poorly healing wounds.

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes burns. Remarks: (IUCLID)

Causes serious eye damage.

#### Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

## Reproductive toxicity

No data available

#### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

## **Aspiration hazard**

No data available

#### **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Mixture**

No data available

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Biological effects:

Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted. Does not cause biological oxygen deficit. Hazard for drinking water supplies.

Discharge into the environment must be avoided.

No data available

## **Components**

#### nitric acid

No data available

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

## **SECTION 14: Transport information**

**TDG** 

UN number: 2031 Class: 8 Packing group: II

Proper shipping name: NITRIC ACID

Labels: 8 ERG Code: 157 Marine pollutant: no

**IMDG** 

UN number: 2031 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: NITRIC ACID

**IATA** 

UN number: 2031 Class: 8 Packing group: II

Proper shipping name: Nitric acid

IATA Passenger: Not permitted for transport

#### **SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

## **SECTION 16: Other information**

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore - 1.00630

Millipore Sigma Version: 8.4 Revision Date: 17.06.2021 Print Date: 03.03.2023

Page 11 of 11