

# SAFETY DATA SHEET

Version 8.7  
Revision Date 08.09.2022  
Print Date 28.02.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Trichloroacetic acid for analysis EMSURE®  
ACS,Reag. Ph Eur

Product Number : 1.00807  
Catalogue No. : 100807  
Brand : Millipore  
Index-No. : 607-004-00-7  
CAS-No. : 76-03-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company : SIGMA-ALDRICH CANADA LTD.  
2149 WINSTON PARK DRIVE  
OAKVILLE ON L6H 6J8  
CANADA

Telephone : +1 905 829-9500  
Fax : +1 905 829-9292

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA)  
+1-703-527-3887 CHEMTREC  
(International)  
24 Hours/day; 7 Days/week

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Skin corrosion (Category 1A), H314  
Serious eye damage (Category 1), H318  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335  
Short-term (acute) aquatic hazard (Category 1), H400  
Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word

Danger

Hazard statement(s)

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P260

Do not breathe dust.

P264

Wash skin thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 +

IF IN EYES: Rinse cautiously with water for several minutes.

P310

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363

Wash contaminated clothing before reuse.

P391

Collect spillage.

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

P405

Store locked up.

P501

Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	: C <sub>2</sub> HCl <sub>3</sub> O <sub>2</sub>
Molecular weight	: 163.39 g/mol
CAS-No.	: 76-03-9
EC-No.	: 200-927-2
Index-No.	: 607-004-00-7

Component	Classification	Concentration *
<b>Trichloroacetic acid</b>	Skin Corr. 1A; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 1; H314, H318, H335, H400, H410 Concentration limits: >= 1 %: STOT SE 3,	<= 100 %

Millipore - 1.00807

Page 2 of 10

	H335;	
* Weight %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Hydrogen chloride gas

Not combustible.

Fire may cause evolution of:

Hydrogen chloride gas, Phosgene

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Ambient fire may liberate hazardous vapours.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.

Tightly closed. Dry.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
------------	---------	-------	--------------------	-------

Trichloroacetic acid	76-03-9	TWAEV	0.5 ppm	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Remarks	Carcinogenic effect detected in animals. Results of studies relating to the carcinogenicity of these substances in animals are not necessarily applicable to humans.			
		TWA	1 ppm 6.7 mg/m <sup>3</sup>	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
	Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWA	0.5 ppm	Canada. British Columbia OEL
	IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
		TWA	0.5 ppm	USA. ACGIH Threshold Limit Values (TLV)

## 8.2 Exposure controls

### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Viton®

Minimum layer thickness: 0.7 mm

Break through time: 480 min

Material tested: KCL 890 Vitoject®

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm

Break through time: 30 min  
Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

### **Body Protection**

Acid-resistant protective clothing

### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

### **Control of environmental exposure**

Do not let product enter drains.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

- |                                                 |                                                       |
|-------------------------------------------------|-------------------------------------------------------|
| a) Appearance                                   | Form: solid<br>Color: colorless                       |
| b) Odor                                         | stinging                                              |
| c) Odor Threshold                               | No data available                                     |
| d) pH                                           | 1 at 81.7 g/l at 25 °C (77 °F)                        |
| e) Melting point/freezing point                 | Freezing point/ range: 54 °C (129 °F)                 |
| f) Initial boiling point and boiling range      | 196 °C 385 °F at 1,013 hPa                            |
| g) Flash point                                  | > 113 °C (> 235 °F) - closed cup                      |
| h) Evaporation rate                             | No data available                                     |
| i) Flammability (solid, gas)                    | The product is not flammable. - Flammability (solids) |
| j) Upper/lower flammability or explosive limits | No data available                                     |
| k) Vapor pressure                               | 1 hPa at 51 °C (124 °F)                               |
| l) Vapor density                                | 5.64 - (Air = 1.0)                                    |
| m) Density                                      | 1.63 g/cm <sup>3</sup> at 20 °C (68 °F)               |
| Relative density                                | No data available                                     |
| n) Water solubility                             | 81.7 g/l at 20 °C (68 °F) - completely soluble        |
| o) Partition coefficient: n-octanol/water       | log Pow: 1.33 - Bioaccumulation is not expected.      |
| p) Autoignition temperature                     | does not ignite                                       |
| q) Decomposition temperature                    | No data available                                     |
| r) Viscosity                                    | No data available                                     |
| s) Explosive properties                         | No data available                                     |

t) Oxidizing properties none

## 9.2 Other safety information

Bulk density	ca.900 kg/m <sup>3</sup>
Surface tension	27.8 mN/m at 80.2 °C (176.4 °F)
Relative vapor density	5.64 - (Air = 1.0)

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Forms explosive mixtures with air on intense heating.  
A range from approx. 15 Kelvin below the flash point is to be rated as critical.

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Risk of explosion with:  
silver salt  
Exothermic reaction with:  
alkalines  
alkali hydroxides  
Amines  
Strong oxidizing agents  
sulfoxides  
dimethyl sulfoxide  
with  
Copper

### 10.4 Conditions to avoid

Exposure to moisture.  
Strong heating.

### 10.5 Incompatible materials

Metals

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 3,320 mg/kg

Remarks: (IUCLID)

Inhalation: No data available

Dermal: No data available

No data available

**Skin corrosion/irritation**

Skin - Rabbit

Result: Corrosive

Remarks: (IUCLID)

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitization**

Maximization Test - Guinea pig

Result: negative

Remarks: (IUCLID)

**Germ cell mutagenicity**

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: Positive results were obtained in some in vitro tests.

Test Type: In vivo micronucleus test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

May cause respiratory irritation. - Respiratory system

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information**

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.





**IATA**

UN number: 1839 Class: 8

Packing group: II

Proper shipping name: Trichloroacetic acid

---

**SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

---

**SECTION 16: Other information****Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

Version: 8.7

Revision Date: 08.09.2022

Print Date: 28.02.2023