

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Oxidizing solids (Category 3), H272 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Millipore- 1.02271

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 10

Pictogram			
Signal Word	Danger		
Hazard statement(s) H272 H318 H410	May intensify fire; oxidizer. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.		
Precautionary statement(s) P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P220 P273 P280	Keep away from clothing and other combustible materials. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face		
P305 + P351 + P338	protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.		
Supplemental Hazard Statements	none		
Reduced Labeling (<= 125 ml) Pictogram			
Signal Word	Danger		
Hazard statement(s)			

Hazard statement(s) H318	Causes serious eye damage.
Precautionary statement(s) P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1	Substances				
	Formula	:	Ce(NO3)3 · 6H2O		
	Molecular weight	:	434,23 g/mol		
	CAS-No.	:	10294-41-4		
	EC-No.	:	233-297-2		
	Component			Classification	Concentration

Millipore- 1.02271

Page 2 of 10



Cerium(III) nitrate hexahydrate				
CAS-No. EC-No.	10294-41-4 233-297-2	Ox. Sol. 3; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H318, H400, H410 M-Factor - Aquatic Acute: 1	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) cerium oxides Not combustible. Fire may cause evolution of: nitrogen oxides Has a fire-promoting effect due to release of oxygen.

Millipore- 1.02271

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 3 of 10



Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Do not store near combustible materials.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



Page 4 of 10





SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

Body Protection

Millipore- 1.02271

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

Page 5 of 10



SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

Int	Information on basic physical and chemical properties			
a)	Physical state	solid		
b)	Color	colorless		
c)	Odor	No data available		
d)	Melting point/freezing point	Melting point/range: 57 °C		
e)	Initial boiling point and boiling range	No data available		
f)	Flammability (solid, gas)	The product is not flammable.		
g)	Upper/lower flammability or explosive limits	No data available		
h)	Flash point	Not applicable		
i)	Autoignition temperature	No data available		
j)	Decomposition temperature	No data available		
k)	рН	No data available		
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available		
m)	Water solubility	600 g/l - OECD Test Guideline 105- soluble		
n)	Partition coefficient: n-octanol/water	No data available		
o)	Vapor pressure	No data available		
p)	Density	No data available		
	Relative density	No data available		
q)	Relative vapor density	No data available		
r)	Particle characteristics	No data available		

- s) Explosive properties Not explosive
- t) Oxidizing properties The substance or mixture is classified as oxidizing with the category 3.

9.2 Other safety information

Bulk density	1.050 kg/m3
Surface tension	73,1 mN/m at 20,6 °C

Millipore- 1.02271

Page 6 of 10



SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Violent reactions possible with: strong reducing agents Strong acids Cyanides

10.4 Conditions to avoid

hygroscopic Air sensitive. no information available

10.5 Incompatible materials No data available

10.6 Hazardous decomposition products In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 4.200 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rat - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (Draize Test)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Severe eye irritation

Respiratory or skin sensitization

in vivo assay - Mouse Does not cause skin sensitization. (OECD Test Guideline 429)

Germ cell mutagenicity

No data available Result: Not mutagenic in Ames Test.

Carcinogenicity No data available

Reproductive toxicity No data available

Millipore- 1.02271

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 10



Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

prolonged or repeated exposure can cause:, Blood disorders, Aspiration or inhalation may cause chemical pneumonitis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,3 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - 6,9 mg/l - 48 h
Toxicity to algae	NOEC - Pseudokirchneriella subcapitata (green algae) - 0,46 mg/l - 72 h

12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential Does not significantly accumulate in organisms.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Millipore- 1.02271

Page 8 of 10



SECTION 14: Transport information					
14.1 UN number ADR/RID: 1477	IMDG: 1477	IATA: 1477			
14.2 UN proper shipping name ADR/RID: NITRATES, INORGANIC, N.O.S. IMDG: NITRATES, INORGANIC, N.O.S. IATA: Nitrates, inorganic, n.o.s.					
14.3 Transport hazard class ADR/RID: 5.1	(es) IMDG: 5.1	IATA: 5.1			
14.4 Packaging group ADR/RID: II	IMDG: II	IATA: II			
14.5 Environmental hazards ADR/RID: no	s IMDG Marine pollutant: no	IATA: no			
14.6 Special precautions for Tunnel restriction code					
Further information	: No data available				

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European : OXIDISING LIQUIDS AND SOLIDS Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: ENVIRONMENTAL HAZARDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

- H272 May intensify fire; oxidizer.
- H318 Causes serious eye damage.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

Millipore- 1.02271

Page 9 of $10\,$

The life science business of Merck operates as $\ensuremath{\mathsf{MilliporeSigma}}$ in the US and Canada



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.02271

Page 10 of 10

