

# SAFETY DATA SHEET

Version 8.7 Revision Date 23.03.2023 Print Date 05.05.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1** Product identifiers Product name Potassium dichromate for analysis (max. 0.000001% Hg) EMSURE® ACS, ISO Product Number : 1.04865 Catalogue No. : 104865 Brand : Millipore 024-002-00-6 Index-No. : CAS-No. : 7778-50-9 1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses : Reagent for analysis 1.3 Details of the supplier of the safety data sheet : SIGMA-ALDRICH CANADA LTD. Company 2149 WINSTON PARK DRIVE OAKVILLE ON L6H 6J8 CANADA Telephone : +1 905 829-9500 +1 905 829-9292 Fax : 1.4 **Emergency telephone** Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International)

# 24 Hours/day; 7 Days/week

# SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

# GHS Classification in accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Respiratory sensitization (Category 1), H314 Skin sensitization (Category 1), H317 Germ cell mutagenicity (Category 1B), H340

Millipore - 1.04865

Page 1 of 12



Carcinogenicity (Category 1B), H350 Reproductive toxicity (Category 1B), H360 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Cardio-vascular system, H372 Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal Word	Danger
Hazard statement(s)	
H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs (Cardio-vascular system) through
	prolonged or repeated exposure if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and
	understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and
	other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the
	workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P284	Wear respiratory protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable

Millipore - 1.04865

Page 2 of 12



P305 + P351 + P338 + P310	for breathing. Immediately call a POISON CENTER/ doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

- none

3.1

# **SECTION 3:** Composition/information on ingredients

Substances		
Formula	:	K2Cr2O7
Molecular weight	:	294.19 g/mol
CAS-No.	:	7778-50-9
EC-No.	:	231-906-6
Index-No.	:	024-002-00-6

Component	Classification	Concentration *
potassium dichromate		
* Weight %	Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 1B; STOT SE 3; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H301, H330, H312, H314, H318, H334, H317, H340, H350, H360, H335, H372, H400, H410 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16. Millipore - 1.04865

Page 3 of 12



#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Potassium oxides Chromium oxides Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Millipore - 1.04865

Page 4 of 12



# 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6:** Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

No metal containers.

Dry.Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore - 1.04865

Page 5 of 12



# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# Ingredients with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
potassium dichromate	7778-50-9	TWA	0.05 mg/m3	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)		
Remarks	Confirmed H humans)	luman Ca	rcinogen (means	that the agent is carcinogenic to		
		TWAEV	0.05 mg/m3	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants		
	Sensitizer Carcinogeni	c effect de	etected in humar	IS		
		TWA	0.025 mg/m3	Canada. British Columbia OEL		
	Substance with specific evidence of sensitization by dermal route Substance with specific evidence of sensitization by respiratory route IARC '1' applies to substances categorized as carcinogenic to humans, and used when there is sufficient evidence of carcinogenicity in humans. ACGIH 'A1' applies to those substances confirmed as human carcinogens based on the weight of evidence from epidemiological studies Contributes significantly to the overall exposure by the skin route.					
		С	0.1 mg/m3	Canada. British Columbia OEL		
	Substance with specific evidence of sensitization by dermal route Substance with specific evidence of sensitization by respiratory route IARC '1' applies to substances categorized as carcinogenic to humans, and used when there is sufficient evidence of carcinogenicity in humans. ACGIH 'A1' applies to those substances confirmed as human carcinogens based on the weight of evidence from epidemiological studies Contributes significantly to the overall exposure by the skin route.					
	used when t ACGIH 'A1' on the weig	there is su applies to ht of evide	ufficient evidence those substance ence from epider	rized as carcinogenic to humans, and e of carcinogenicity in humans. es confirmed as human carcinogens based miological studies		
	used when t ACGIH 'A1' on the weig	there is su applies to ht of evide	ufficient evidence those substance ence from epider	rized as carcinogenic to humans, and e of carcinogenicity in humans. es confirmed as human carcinogens based miological studies		
	used when t ACGIH 'A1' on the weig Contributes Substance v Substance v IARC '1' app used when t ACGIH 'A1'	there is su applies to ht of evide significan with specif vith specif olies to su there is su applies to	ifficient evidence those substance ence from epider otly to the overall fic evidence of se fic evidence of se bstances categor ufficient evidence those substance	rized as carcinogenic to humans, and of carcinogenicity in humans. es confirmed as human carcinogens based miological studies I exposure by the skin route.		

Millipore - 1.04865

Page 6 of 12



ĺ				
		STEL	0.0005 mg/m3	USA. ACGIH Threshold Limit Values (TLV)

#### 8.2 Exposure controls

#### Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de). Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm

Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

#### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

#### Control of environmental exposure

Do not let product enter drains.

Millipore - 1.04865

Page 7 of 12



# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: crystalline Color: orange
b)	Odor	odorless
c)	Odor Threshold	Not applicable
d)	рН	3.5 - 5.0 at 29.4 g/l at 25 °C (77 °F)
e)	Melting point/freezing point	Melting point/range: 390 °C (734 °F)
f)	Initial boiling point and boiling range	> 500 °C > 932 °F at 1,013 hPa - Decomposition
g)	Flash point	()Not applicable
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	Not applicable
I)	Vapor density	No data available
m)	Density	ca.2.680 g/cm3 at 20 °C (68 °F) - OECD Test Guideline 109
	Relative density	ca.2.720 °C - OECD Test Guideline 109
n)	Water solubility	ca.29.4 g/l at 20 °C (68 °F)
o)	Partition coefficient: n-octanol/water	Not applicable for inorganic substances
p)	Autoignition temperature	does not ignite
q)	Decomposition temperature	ca.500 °C (ca.932 °F) -
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	The substance or mixture is classified as oxidizing with the
L)	Oxidizing properties	category 2.

Bulk density 1,250 kg/m3

# SECTION 10: Stability and reactivity

# **10.1** Reactivity

9.2

No data available

Millipore - 1.04865

Page 8 of 12



# **10.2 Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

# **10.3** Possibility of hazardous reactions

Risk of explosion with: Iron magnesium hydrazine and derivatives hydroxylamine ammonium nitrate Boron Acetic anhvdride oxidisable substances Reducing agents sulfuric acid silicon Exothermic reaction with: anhydrides phosphides Sulfides nitrides Fluorine Risk of ignition or formation of inflammable gases or vapours with: organic combustible substances glycerol Powdered metals hydrides alkali compounds Acetone with sulfuric acid Generates dangerous gases or fumes in contact with: hydrochloric acid

# **10.4** Conditions to avoid

no information available

#### **10.5 Incompatible materials** No data available

**10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

# **11.1** Information on toxicological effects

Acute toxicity LD50 Oral - Rat - female - 90.5 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - female - 4 h - 0.083 mg/l - dust/mist

Millipore - 1.04865

Page 9 of 12





(OECD Test Guideline 403) Acute toxicity estimate Dermal - 1,100 mg/kg (Expert judgment) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Skin corrosion/irritation

Skin - Rabbit Result: Causes burns. - 4 h (OECD Test Guideline 404) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Serious eye damage/eye irritation

Remarks: Causes serious eye damage. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Respiratory or skin sensitization

Patch test: - Human Result: positive Remarks: (IUCLID) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) May cause allergic respiratory and skin reactions Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# Germ cell mutagenicity

May cause genetic defects.

#### Carcinogenicity

Presumed to have carcinogenic potential for humans

#### **Reproductive toxicity**

May damage the unborn child. May damage fertility.

# Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system

#### Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Cardio-vascular system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### **Aspiration hazard**

No data available

#### **11.2 Additional Information**

Ulceration, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

# **12.1 Toxicity**

Toxicity to fish

LC50 - Danio rerio (zebra fish) - 58.5 mg/l - 96 h Remarks: (ECHA)

Millipore - 1.04865

Page 10 of 12



	Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 0.035 mg/l - 48 h Remarks: (ECHA)	
	Toxicity to algae	static test ErC50 - Selenastrum capricornutum (green algae) - 0.233 mg/l - 72 h Remarks: (ECHA)	
	Toxicity to bacteria	IC50 - activated sludge - 30 mg/l - 3 h Remarks: (in analogy to similar products) (ECHA)	
	Toxicity to fish(Chronic toxicity)	NOEC - Pimephales promelas (fathead minnow) - 1.1 mg/l - 7 d Remarks: (ECHA)	
	Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	NOEC - Daphnia magna (Water flea) - 18 mg/l  - 21 d Remarks: (ECHA)	
12.2	2 Persistence and degradability The methods for determining the biological degradability are not applicable to inorganic substances.		
12.3	Bioaccumulative pot		
	Bioaccumulation	Oncorhynchus mykiss (rainbow trout) - 180 d - 200 µg/l(potassium dichromate)	
		Bioconcentration factor (BCF): 17.4	
12.4	<b>Mobility in soil</b> No data available		
12.5	5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted		
12.6	Endocrine disrupting No data available	g properties	

**12.7 Other adverse effects** No data available

# SECTION 13: Disposal considerations

# **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

Millipore - 1.04865

Page 11 of 12



# **SECTION 14:** Transport information

**TDG**UN number: 3086Class: 6.1 (5.1)Packing group: IIProper shipping name: (potassium dichromate)Subsidiary risk: 5.1Labels: 6.1(5.1)ERG Code: 141Marine pollutant: no

## IMDG

UN number: 3086 Class: 6.1 (5.1) Packing group: II EMS-No: F-A, S-Q Proper shipping name: TOXIC SOLID, OXIDIZING, N.O.S. (potassium dichromate) Marine pollutant : yes

# ΙΑΤΑ

UN number: 3086 Class: 6.1 (5.1) Packing group: II Proper shipping name: Toxic solid, oxidizing, n.o.s. (potassium dichromate)

#### **SECTION 15: Regulatory information**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

# **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.7

Revision Date: 23.03.2023

Print Date: 05.05.2023

Millipore - 1.04865

Page 12 of 12



