

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.7

Revision Date 30.12.2022

Print Date 12.06.2023

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Sodium nitrite extra pure

Product Number : 1.06544

Catalogue No. : 106544

Brand : Millipore

Index-No. : 007-010-00-4

REACH No. : 01-2119471836-27-XXXX

CAS-No. : 7632-00-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH  
Eschenstrasse 5  
D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130

Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

### 1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)  
+49 (0)696 43508409 (CHEMTREC  
weltweit)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 3), H272

Acute toxicity, Oral (Category 3), H301

Eye irritation (Category 2), H319

Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 Label elements

#### Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word	Danger
Hazard statement(s)	
H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P264	Wash skin thoroughly after handling.
P273	Avoid release to the environment.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

### Reduced Labeling (<= 125 ml)

Pictogram



Signal Word	Danger
Hazard statement(s)	
H301	Toxic if swallowed.
Precautionary statement(s)	
P264	Wash skin thoroughly after handling.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
Supplemental Hazard Statements	none

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Formula	: NaNO <sub>2</sub>
Molecular weight	: 69,00 g/mol
CAS-No.	: 7632-00-0
EC-No.	: 231-555-9
Index-No.	: 007-010-00-4

Component	Classification	Concentration
<b>sodium nitrite</b>		
CAS-No.	7632-00-0	<= 100 %
EC-No.	231-555-9	
	Ox. Sol. 3; Acute Tox. 3; Eye Irrit. 2; Aquatic Acute	



Index-No.	007-010-00-4	1; H272, H301, H319, H400 M-Factor - Aquatic Acute: 1	
-----------	--------------	--	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first-aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Sodium oxides

Not combustible.

Fire may cause evolution of:

nitrogen oxides

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.



### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

#### Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



---

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Ingredients with workplace control parameters**

### **8.2 Exposure controls**

#### **Personal protective equipment**

##### **Eye/face protection**

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

##### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatril® L

##### **Body Protection**

protective clothing

##### **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

##### **Control of environmental exposure**

Do not let product enter drains.



---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |   |  |
|---|--|
| a) Physical state                               | crystalline  |
| b) Color  | white  |
| c) Odor   | odorless   |
| d) Melting point/freezing point                 | Melting point/range: 271 °C - (ECHA)   |
| e) Initial boiling point and boiling range      | No data available  |
| f) Flammability (solid, gas)                    | No data available  |
| g) Upper/lower flammability or explosive limits | No data available  |
| h) Flash point                                  | Not applicable   |
| i) Autoignition temperature                     | No data available  |
| j) Decomposition temperature                    | No data available  |
| k) pH   | No data available  |
| l) Viscosity                                    | Viscosity, kinematic: No data available<br>Viscosity, dynamic: No data available |
| m) Water solubility                             | 820 g/l at 20 °C   |
| n) Partition coefficient: n-octanol/water       | Not applicable for inorganic substances  |
| o) Vapor pressure                               | No data available  |
| p) Density                                      | 2,168 g/cm <sup>3</sup> at 20 °C   |
| Relative density                                | No data available  |
| q) Relative vapor density                       | No data available  |
| r) Particle characteristics                     | No data available  |
| s) Explosive properties                         | No data available  |
| t) Oxidizing properties                         | The substance or mixture is classified as oxidizing with the category 3.         |

### 9.2 Other safety information

Bulk density	1.200 kg/m <sup>3</sup>
--------------	-------------------------

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No data available



## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

Risk of explosion with:

combustible substances

Aluminum

Sulfides

Cyanides

potassium cyanide

urea

hydrazine and derivatives

oxidisable substances

unsaturated hydrocarbons

sodium amide

phenol

Ethylene oxide

strong reducing agents

Ammonium salts

amides

hydrochloric acid

Potassium hexacyanoferrate (II)

A risk of explosion and/or of toxic gas formation exists with the following substances:

Acids

with

Amines

Release of:

Nitrosamine

Risk of ignition or formation of inflammable gases or vapours with:

butadiene

Exothermic reaction with:

Ethylene oxide

## 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 186 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Oral - 186 mg/kg

(Calculation method)

Inhalation: No data available

Dermal: No data available



**Skin corrosion/irritation**

No data available

**Serious eye damage/eye irritation**

Eyes - Rabbit

Result: Moderate eye irritation

(OECD Test Guideline 405)

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure**

No data available

**Specific target organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Additional Information****Endocrine disrupting properties****Product:**

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Headache, Nausea, Incoordination., Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

**SECTION 12: Ecological information****12.1 Toxicity**

Toxicity to fish	flow-through test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,54 - 26,3 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 15,4 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 100





	mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - 510 mg/l - 3 h (OECD Test Guideline 209)
Toxicity to fish(Chronic toxicity)	NOEC - Cyprinus carpio (Carp) - 1,05 mg/l - 29 d (OECD Test Guideline 210)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - Penaeus duorarum (Pink shrimp) - 9,86 mg/l - 80 d Remarks: (ECHA)

## 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### **Product**

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID: 1500

IMDG: 1500

IATA: 1500

### 14.2 UN proper shipping name

ADR/RID: SODIUM NITRITE

IMDG: SODIUM NITRITE

IATA: Sodium nitrite



**14.3 Transport hazard class(es)**

ADR/RID: 5.1 (6.1)

IMDG: 5.1 (6.1)

IATA: 5.1 (6.1)

**14.4 Packaging group**

ADR/RID: III

IMDG: III

IATA: III

**14.5 Environmental hazards**

ADR/RID: yes

IMDG Marine pollutant: yes

IATA: no

**14.6 Special precautions for user**

Further information : No data available

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**National legislation**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

: OXIDISING LIQUIDS AND SOLIDS  
: ENVIRONMENTAL HAZARDS

**Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

---

**SECTION 16: Other information****Full text of H-Statements referred to under sections 2 and 3.**

H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.



## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See [www.sigma-aldrich.com](http://www.sigma-aldrich.com) and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).

