

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.6 Revision Date 25.02.2023 Print Date 26.02.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : tri-Sodium phosphate dodecahydrate for

analysis EMSURE®

Product Number : 1.06572 Catalogue No. : 106572 Brand : Millipore

REACH No. : 01-2119489800-32-XXXX

CAS-No. : 10101-89-0

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

# 1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science UK Limited

New Road

The Old Brickyard GILLINGHAM Dorset

Dorset SP8 4XT

UNITED KINGDOM

Telephone : +44 (0)1747 833-000Fax : +44 (0)1747 833-313

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : +44 (0)870 8200418 (CHEMTREC)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Skin irritation (Category 2), H315 Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567

Millipore- 1.06572 Page 1 of 17



## Pictogram



Signal Word Warning

Hazard statement(s)

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

# Reduced Labeling (<= 125 ml)

Pictogram

Signal Word

Warning

Hazard statement(s) none

Precautionary none

statement(s)

Supplemental Hazard none

Statements

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Formula : Na3PO4 · 12H2O Molecular weight : 380.13 g/mol CAS-No. : 10101-89-0 EC-No. : 231-509-8

Component		Classification	Concentration		
Sodium phosphate tribasic dodecahydrate					
CAS-No. EC-No.	10101-89-0 231-509-8	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	<= 100 %		

For the full text of the H-Statements mentioned in this Section, see Section 16.

MERCK

# **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

## **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

## If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Oxides of phosphorus

Sodium oxides

Not combustible.

Fire may cause evolution of:

Oxides of phosphorus

Ambient fire may liberate hazardous vapours.

# **5.3** Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Merck

### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# **6.2 Environmental precautions**

Do not let product enter drains.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### **6.4** Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Tightly closed. Dry.

Recommended storage temperature see product label.

## Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### **Ingredients with workplace control parameters**

Contains no substances with occupational exposure limit values.

# **Derived No Effect Level (DNEL)**

Application Area	Routes of	Health effect	Value
	exposure		
Worker DNEL,	inhalation	Systemic effects	4.07 mg/m3
longterm			

# **Predicted No Effect Concentration (PNEC)**

Compartment	Value
Fresh water	0.05 mg/l
Sea water	0.005 mg/l
Aquatic intermittent release	0.5 mg/l
Sewage treatment plant	50 mg/l

Millipore- 1.06572 Page 4 of 17



## 8.2 Exposure controls

# Personal protective equipment

## Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

## Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

# **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# **Control of environmental exposure**

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state crystalsb) Color off-whitec) Odor odorless

d) Melting No data available

Millipore- 1.06572 Page 5 of 17



point/freezing point

e) Initial boiling point I and boiling range

No data available

f) Flammability (solid,

The product is not flammable.

gas)

g) Upper/lower flammability or explosive limits No data available

h) Flash point Not applicablei) Autoignition No data available

temperature

j) Decomposition temperature

ca. 75 °C

k) pH 13 at 190.1 g/l at 25 °C

I) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available

m) Water solubility 285 g/l at 20 °Cn) Partition coefficient: No data available n-octanol/water

o) Vapor pressure No data available p) Density 1.620 g/cm3

q) Relative density No data available q) Relative vapor No data available density

r) Particle No data available characteristics

s) Explosive properties No data available

t) Oxidizing properties none

# 9.2 Other safety information

Bulk density ca.950 kg/m3

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong acids

MERCK

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 7,400 mg/kg

Remarks: (RTECS)

Inhalation: No data available Dermal: No data available **Skin corrosion/irritation** Remarks: Irritating to skin.

# Serious eye damage/eye irritation

Remarks: Eye irritation

# Respiratory or skin sensitization

No data available

## Germ cell mutagenicity

Test Type: Ames test Result: negative Remarks: (Lit.)

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

May cause respiratory irritation.

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### 11.2 Additional Information

No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

No data available

# 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Millipore- 1.06572 Page 7 of 17

## 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

No data available

## 12.7 Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### **Product**

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions. Notice Directive on waste 2008/98/EC.

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

**Further information** 

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Millipore- 1.06572 Page 8 of 17

## Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H315 Causes skin irritation. H319 Causes serious eye irritation.

H335 Causes skin irritation.

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of

Millipore- 1.06572 Page 9 of 17



the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.06572 Page 10 of 17



**Annex: Exposure scenario** 

#### Identified uses:

#### **Use: Industrial use**

**SU 3:** Industrial uses: Uses of substances as such or in preparations at industrial sites

**SU 3, SU 10:** Industrial uses: Uses of substances as such or in preparations at industrial sites, Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

PC19: Intermediate

**PC39:** Cosmetics, personal care products

**PROC1:** Use in closed process, no likelihood of exposure

PROC2: Use in closed, continuous process with occasional controlled exposure

**PROC3:** Use in closed batch process (synthesis or formulation)

**PROC4:** Use in batch and other process (synthesis) where opportunity for exposure arises

**PROC5:** Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)

**PROC8b:** Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities

**PROC9:** Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

**PROC14:** Production of preparations or articles by tabletting, compression, extrusion, pelletization

**PROC15:** Use as laboratory reagent

**ERC1, ERC2, ERC4, ERC6a, ERC6b:** Manufacture of substances, Formulation of preparations, Industrial use of processing aids in processes and products, not becoming part of articles, Industrial use resulting in manufacture of another substance (use of intermediates), Industrial use of reactive processing aids

### **Use: Professional use**

**SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**SU 22:** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**PC39:** Cosmetics, personal care products

**ERC8a, ERC8d:** Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems

### **Use: Consumer use**

SU 21: Consumer uses: Private households (= general public = consumers)

**SU 21:** Consumer uses: Private households (= general public = consumers)

**PC39:** Cosmetics, personal care products

**ERC8a, ERC8d:** Wide dispersive indoor use of processing aids in open systems, Wide dispersive outdoor use of processing aids in open systems



## 1. Short title of Exposure Scenario: Industrial use

Main User Groups : SU 3

Sectors of end-use : **SU 3, SU 10** Chemical product category : **PC19, PC39** 

Process categories : PROC1, PROC2, PROC3, PROC4, PROC5, PROC8b,

PROC9, PROC14, PROC15

Environmental Release Categories : ERC1, ERC2, ERC4, ERC6a, ERC6b:

## 2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3

#### **Product characteristics**

Concentration of the Substance in : Covers the percentage of the substance in the product

Mixture/Article up to 100 % (unless stated differently).

Physical Form (at time of use) : Solid, high dustiness

Frequency and duration of use

Frequency of use : 8 hours/day Frequency of use : 5 days/week

# Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organizational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours.

# Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374., Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment Wear suitable coveralls to prevent exposure to the skin.

# 2.2 Contributing scenario controlling worker exposure for: PROC4, PROC5, PROC8b, PROC9, PROC14, PROC15

## **Product characteristics**

Concentration of the Substance in : Covers the percentage of the substance in the product

Mixture/Article up to 100 % (unless stated differently).

Physical Form (at time of use) : Solid, high dustiness

Frequency and duration of use

Frequency of use : 8 hours/day Frequency of use : 5 days/week

## Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor with local exhaust ventilation (LEV)

Organizational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours.

# Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374., Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment Wear suitable coveralls to prevent exposure to the skin.

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8b, PROC9, PROC14, PROC15

MERCK

#### **Product characteristics**

Concentration of the Substance in : Covers the percentage of the substance in the product

Mixture/Article up to 100 % (unless stated differently).

Physical Form (at time of use) : Solid substance, Aqueous solution

Frequency and duration of use

Frequency of use : 8 hours/day Frequency of use : 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organizational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374., Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment Wear suitable coveralls to prevent exposure to the skin.

# 3. Exposure estimation and reference to its source

#### **Environment**

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

#### **Workers**

Contributin g Scenario	Exposure Assessment Method	Specific conditions	Value	Level of Exposure	RCR*
PROC1	ECETOC TRA 3, Solid	longterm, inhalative, systemic			< 0.01
PROC3	ECETOC TRA 3	longterm, inhalative, systemic			0.25
PROC2	ECETOC TRA 3	longterm, inhalative, systemic			0.25
*Risk charact	erisation ratio				
PROC4	ECETOC TRA 3, Solid	longterm, inhalative, systemic			0.61
PROC5	ECETOC TRA 3, Solid	longterm, inhalative, systemic			0.61
PROC8b	ECETOC TRA 3, Solid	longterm, inhalative, systemic			0.31
PROC9	ECETOC TRA 3, Solid	longterm, inhalative,			0.49

Millipore- 1.06572 Page 13 of 17



		systemic		
PROC14	ECETOC TRA	longterm,		0.25
	3, Solid	inhalative,		
22225		systemic		0.40
PROC15	ECETOC TRA	longterm,		0.12
	3, Solid	inhalative,		
		systemic		
	terisation ratio		1	1
PROC1	ECETOC TRA	longterm,		0.02
	3, Aqueous	inhalative,		
	solution	systemic		
PROC2	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		
PROC3	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		
PROC4	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		
PROC5	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		
PROC8b	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		
PROC9	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		
PROC14	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		
PROC15	ECETOC TRA	longterm,		0.17
	3, Aqueous	inhalative,		
	solution	systemic		

<sup>\*</sup>Risk characterisation ratio

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

Millipore- 1.06572 Page 14 of 17



## 1. Short title of Exposure Scenario: Professional use

Main User Groups : **SU 22**Sectors of end-use : **SU 22**Chemical product category : **PC39** 

Environmental Release Categories : ERC8a, ERC8d:

## 2.2 Contributing scenario controlling worker exposure for: PROC15

#### **Product characteristics**

Concentration of the Substance in : Covers the percentage of the substance in the product

Mixture/Article up to 100 % (unless stated differently).

Physical Form (at time of use) : Solid, high dustiness

Frequency and duration of use

Frequency of use : 8 hours/day Frequency of use : 5 days/week

## Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organizational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours.

# Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374., Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment Wear suitable coveralls to prevent exposure to the skin.

# 2.2 Contributing scenario controlling worker exposure for: PROC15

#### **Product characteristics**

Concentration of the Substance in : Covers the percentage of the substance in the product

Mixture/Article up to 100 % (unless stated differently). Physical Form (at time of use) : Solid substance, Aqueous solution

Frequency and duration of use

Frequency of use : 8 hours/day Frequency of use : 5 days/week

# Other operational conditions affecting workers exposure

Outdoor / Indoor : Indoor without local exhaust ventilation (LEV)

Organizational measures to prevent /limit releases, dispersion and exposure Covers daily exposures up to 8 hours.

# Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374., Tightly fitting safety goggles

Additional good practice advice beyond the REACH Chemical Safety Assessment Wear suitable coveralls to prevent exposure to the skin.

# 3. Exposure estimation and reference to its source

## **Environment**

Millipore- 1.06572 Page 15 of 17

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

### Workers

Contributin g Scenario	Exposure Assessment Method	Specific conditions	Value	Level of Exposure	RCR*
PROC15	ECETOC TRA 3, Solid	longterm, inhalative, systemic			0.25
*Risk characterisation ratio					
PROC15	ECETOC TRA 3, Aqueous solution	longterm, inhalative, systemic			0.17

<sup>\*</sup>Risk characterisation ratio

# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

# 1. Short title of Exposure Scenario: Consumer use

Main User Groups : **SU 21**Sectors of end-use : **SU 21**Chemical product category : **PC39** 

Environmental Release Categories : ERC8a, ERC8d:

# 3. Exposure estimation and reference to its source

## **Environment**

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

Millipore- 1.06572 Page 16 of 17



# 4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

Millipore- 1.06572 Page 17 of 17

